

Level 1 BIAS

	dim	scalar	vector	vector	scalars	5-element array
SUBROUTINE xROTG (A, B, C, S)	PARAM)
SUBROUTINE xROTMG(D1, D2, A, B,		PARAM)
SUBROUTINE xROT (N,		X, INCX, Y, INCY,			C, S)	
SUBROUTINE xSMAP (N,		X, INCX, Y, INCY,				PARAM)
SUBROUTINE xSCAL (N,		X, INCX)				
SUBROUTINE xCOPY (N,		X, INCX, Y, INCY)				
SUBROUTINE xAXPY (N,		ALPHA, X, INCX, Y, INCY)				
FUNCTION xDOT (N,		X, INCX, Y, INCY)				
FUNCTION xDOTU (N,		X, INCX, Y, INCY)				
FUNCTION xDOTC (N,		X, INCX, Y, INCY)				
FUNCTION xxDOT (N,		X, INCX, Y, INCY)				
FUNCTION xHRM2 (N,		X, INCX)				
FUNCTION xASUM (N,		X, INCX)				
FUNCTION IxAMAX(N,		X, INCX)				

Level 2 BIAS

	dim	b-width	scalar	matrix	vector	vector	scalar	vector
xGEMV (M, N,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY)			
xGBMV (TRANS,	M, N, KL, KU,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY)			
xHEMV (UPLO,			N,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY)			
xHBMV (UPLO,			N, K,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY)			
xHPMV (UPLO,			N,	ALPHA, AP, X, INCX,	BETA, Y, INCY)			
xSYMV (UPLO,			N, N,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY)			
xSBMV (UPLO,			N, N, K,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY)			
xSPMV (UPLO,			N, N,	ALPHA, AP, X, INCX,	BETA, Y, INCY)			
xTRMV (UPLO,		TRANS, DIAG,	N,	A, LDA, X, INCX)				
xTRMV (UPLO,		TRANS, DIAG,	N, N, K,	A, LDA, X, INCX)				
xTRMV (UPLO,		TRANS, DIAG,	N, N,	AP, X, INCX)				
xTRSV (UPLO,		TRANS, DIAG,	N,	A, LDA, X, INCX)				
xTRSV (UPLO,		TRANS, DIAG,	N, N, K,	A, LDA, X, INCX)				
xTPSV (UPLO,		TRANS, DIAG,	N,	AP, X, INCX)				
xGER (options	dim	scalar	vector	vector	matrix	
xGERU (M, N,	ALPHA, X, INCX, Y, INCY,	A, LDA)			
xGERC (M, N,	ALPHA, X, INCX, Y, INCY,	A, LDA)			
xHER (UPLO,			N,	ALPHA, X, INCX,	A, LDA)			
xHPR (UPLO,			N, ALPHA, X, INCX,	AP)				
xHRR2 (UPLO,			N, ALPHA, X, INCX, Y, INCY,	A, LDA)				
xHPR2 (UPLO,			N, ALPHA, X, INCX, Y, INCY,	AP)				
xSYR (UPLO,			N, ALPHA, X, INCX,	A, LDA)				
xSPR (UPLO,			N, ALPHA, X, INCX,	AP)				
xSTR2 (UPLO,			N, ALPHA, X, INCX, Y, INCY,	A, LDA)				
xSPR2 (UPLO,			N, ALPHA, X, INCX, Y, INCY,	AP)				

Level 3 BIAS

	dim	options	dim	scalar	matrix	matrix	scalar	matrix
xGEM (M, N, K,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC)			
xSYM (SIDE, UPLO,	M, N,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC)			
xHEM (SIDE, UPLO,	M, N,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC)			
xSYR (UPLO, TRANS,	N, K,	ALPHA, A, LDA,	BETA, C, LDC)			
xHERK (UPLO, TRANS,	N, K,	ALPHA, A, LDA,	BETA, C, LDC)			
xSTR2K (UPLO, TRANS,	N, K,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC)			
xHRR2K (UPLO, TRANS,	N, K,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC)			
xTRMM (SIDE, UPLO, TRANS,	M, N,	ALPHA, A, LDA, B, LDB,				
xTRSM (SIDE, UPLO, TRANS,	M, N,	ALPHA, A, LDA, B, LDB,				

prefixes

Generate plane rotation	S, D
Generate modified plane rotation	S, D
Apply plane rotation	S, D
Apply modified plane rotation	S, D
$x \leftrightarrow y$	S, D, C, Z
$x \leftarrow \alpha x$	S, D, C, Z, CS, ZD
$y \leftarrow x$	S, D, C, Z
$y \leftarrow \alpha x + y$	S, D, C, Z
$dot \leftarrow x^T y$	S, D, C, Z
$dot \leftarrow x^T y$	S, D, C, Z
$dot \leftarrow x^H y$	S, D, C, Z
$dot \leftarrow \alpha + x^T y$	S, D, C, Z
$norm2 \leftarrow \ x\ _2$	S, D, C, Z
$asum \leftarrow \ re(x_k)\ _1 + \ im(x)\ _1$	S, D, C, Z
$amax \leftarrow 1^{st} k \ni re(x_k) + im(x_k) $	S, D, C, Z
$= \max(re(x_i) + im(x_i))$	S, D, C, Z

$y \leftarrow \alpha Ax + \beta y, y \leftarrow \alpha A^T x + \beta y, y \leftarrow \alpha A^H x + \beta y, A - m \times n$	S, D, C, Z
$y \leftarrow \alpha Ax + \beta y, y \leftarrow \alpha A^T x + \beta y, y \leftarrow \alpha A^H x + \beta y, A - m \times n$	S, D, C, Z
$y \leftarrow \alpha Ax + \beta y$	C, Z
$y \leftarrow \alpha Ax + \beta y$	C, Z
$y \leftarrow \alpha Ax + \beta y$	C, Z
$y \leftarrow \alpha Ax + \beta y$	S, D
$y \leftarrow \alpha Ax + \beta y$	S, D
$x \leftarrow Ax, x \leftarrow A^T x, x \leftarrow A^H x$	S, D, C, Z
$x \leftarrow Ax, x \leftarrow A^T x, x \leftarrow A^H x$	S, D, C, Z
$x \leftarrow Ax, x \leftarrow A^T x, x \leftarrow A^H x$	S, D, C, Z
$x \leftarrow A^{-1} x, x \leftarrow A^{-T} x, x \leftarrow A^{-H} x$	S, D, C, Z
$x \leftarrow A^{-1} x, x \leftarrow A^{-T} x, x \leftarrow A^{-H} x$	S, D, C, Z
$A \leftarrow \alpha xy^T + A, A - m \times n$	S, D
$A \leftarrow \alpha xy^T + A, A - m \times n$	C, Z
$A \leftarrow \alpha xy^H + A, A - m \times n$	C, Z
$A \leftarrow \alpha xy^H + A$	C, Z
$A \leftarrow \alpha x x^H + A$	C, Z
$A \leftarrow \alpha x y^H + y(\alpha x)^H + A$	C, Z
$A \leftarrow \alpha x y^H + y(\alpha x)^H + A$	C, Z
$A \leftarrow \alpha x x^T + A$	S, D
$A \leftarrow \alpha x x^T + A$	S, D
$A \leftarrow \alpha x y^T + \alpha y x^T + A$	S, D
$A \leftarrow \alpha x y^T + \alpha y x^T + A$	S, D

$C \leftarrow \alpha op(A) op(B) + \beta C, op(X) = X, X^T, X^H, C - m \times n$	S, D, C, Z
$C \leftarrow \alpha AB + \beta C, C \leftarrow \alpha BA + \beta C, C - m \times n, A = A^T$	S, D, C, Z
$C \leftarrow \alpha AB + \beta C, C \leftarrow \alpha BA + \beta C, C - m \times n, A = A^H$	C, Z
$C \leftarrow \alpha A A^T + \beta C, C \leftarrow \alpha A^T A + \beta C, C - n \times n$	S, D, C, Z
$C \leftarrow \alpha A A^H + \beta C, C \leftarrow \alpha A^H A + \beta C, C - n \times n$	C, Z
$C \leftarrow \alpha A B^T + \beta C, C \leftarrow \alpha A^T B + \beta C, C - n \times n$	S, D, C, Z
$C \leftarrow \alpha A B^H + \beta C, C \leftarrow \alpha A^H B + \beta C, C - n \times n$	C, Z
$B \leftarrow \alpha op(A) B, B \leftarrow \alpha B op(A), op(A) = A, A^T, A^H, B - m \times n$	S, D, C, Z
$B \leftarrow \alpha op(A^{-1}) B, B \leftarrow \alpha B op(A^{-1}), op(A) = A, A^T, A^H, B - m \times n$	S, D, C, Z

Meaning of prefixes

S - REAL
D - DOUBLE PRECISION
C - COMPLEX
Z - COMPLEX*16
(this may not be supported
by all machines)

For the Level 2 BLAS a set of extended-precision routines with the prefixes ES, ED, EC, EZ may also be available.

Level 1 BLAS

In addition to the listed routines there are two further extended-precision dot product routines DQDOT and DQDOTA.

Level 2 and Level 3 BLAS

Matrix types:

GE - General	GB - General Band	SP - Sum. Packed
SY - Symmetric	SB - Sym. Band	HP - Herm. Packed
HE - Hermitian	HB - Herm. Band	TP - Triang. Packed
TR - Triangular	TB - Triang. Band	

Level 2 and Level 3 BLAS Options

Dummy options arguments are declared as CHARACTER*1 and may be passed as character strings.

TRANS = 'No transpose', 'Transpose',
'Conjugate transpose' (X, X^T, X^H)
UPLO = 'Upper triangular', 'Lower triangular'
DIAG = 'Non-unit triangular', 'Unit triangular'
SIDE = 'Left', 'Right' (A or op(A) on the left,
or A or op(A) on the right)

For real matrices, TRANS = 'T' and TRANSX = 'C' have the same meaning.

For Hermitian matrices, TRANS = 'T' is not allowed.

For complex symmetric matrices, TRANSX = 'H' is not allowed.

References

C. Lawson, R. Hanson, D. Kincaid, and F. Krogh, "Basic Linear Algebra Subprograms for Fortran Usage," *ACM Trans. on Math. Soft.* 5 (1979) 308-325

J.J. Dongarra, J. DuCroz, S. Hammarling, and R. Hanson, "An Extended Set of Fortran Basic Linear Algebra Subprograms," *ACM Trans. on Math. Soft.* 14,1 (1988) 1-32

J.J. Dongarra, I. Duff, J. DuCroz, and S. Hammarling, "A Set of Level 3 Basic Linear Algebra Subprograms," *ACM Trans. on Math. Soft.* (1989)

Obtaining the Software via netlib@ornl.gov

To receive a copy of the single-precision software,

```
type in a mail message:  
send sbias from blas  
send sbias2 from blas  
send sbias3 from blas
```

To receive a copy of the double-precision software,

```
type in a mail message:  
send dbias from blas  
send dbias2 from blas  
send dbias3 from blas
```

To receive a copy of the complex single-precision software,

```
type in a mail message:  
send cbias from blas  
send cbias2 from blas  
send cbias3 from blas
```

To receive a copy of the complex double-precision software,
type in a mail message:

```
send zblas from blas  
send zblas2 from blas  
send zblas3 from blas
```

Send comments and questions to Lapack@cs.utk.edu .

Basic

Linear

Algebra

Subprograms

A Quick Reference Guide

University of Tennessee
Oak Ridge National Laboratory
Numerical Algorithms Group Ltd.

May 11, 1997